



方向控制阀目录


名称 Description	液压符号 Symbol	产品型号 Type	最大流量 (L/Min) Flow Rate	插孔形式 Cavity	页码 Page
单向阀 Check		CV08-20	25	VC082	1
		CV10-20	45	VC102	2
		CV12-20	80	VC122	3
		CV16-20	150	VC162	4
		CV20-20	250	VC202	5
		CV25-20	400	VC252	6
逆流单向阀 Reverse Check		CV08-21	15	VC082	7

PC06-30 液控单向阀 Pilot Operated

订购型号 Order Type

PC06-30-①-②-③

- ①开启压力
A: 0.2 bar
B: 2 bar
- ②开启比
Q: 4.5:1
- ③油封
N: 标准型
V: 氟橡胶




特性 Features

PC09-30 液控单向阀 Pilot Operated

订购型号 Order Type

PC09-30-①-②-③

- ① 开启压力
 - A: 0.2 bar
 - B: 2 bar
- ② 开启比
 - Q: 4.5:1
- ③ 油封
 - N: 标准型
 - V: 氟橡胶




PCT11-A0 液控单向阀 Pilot Operated


订购型号 Order Type

PCT11-A0-①-②-③

- ①开启压力
A: 0.2 bar
B: 2 bar
- ②开启比
Q: 4.5:1
- ③油封
N: 标准型
V: 氟橡胶



流量曲线 Performance (Cartridge Only)



PCT2-A0 液控单向阀 Pilot Operated

订购型号 Order Type

PCT2-A0-①-②-③

① 开启压力

A: 2 bar

B: 4 bar


② 开启比

Q: 4.5:1

③ 油封

N: 标准型

V: 氟橡胶



PCT17-A0 液控单向阀 Pilot Operated

订购型号 Order Type

PCT17-A0-①-②

①开启压力


A: 2 bar

B: 4 bar

②油封

N: 标准型

V: 氟橡胶



特性 Features